Pro Cables™

L'ACOUSTIC CA-COM
AUDIO SPEAKER **ASSEMBLIES**
8- & 32-CONDUCTOR

Description
Rugged ProCable multi-conductor speaker cables featuring stranded bare copper conductors, PVC insulation, and a tough PVC jacket. These unshielded cables are equipped with ProSeries™ Multi-pin Connectors, designed for reliable performance in demanding audio environments.

Features
- Lightweight, heavy-duty speaker cables designed to perform reliably in any environment
- Road-ready: flexible, durable, and proven to withstand years of demanding use
- Available in both standard and custom configurations
- Optional custom labeling for easy identification and organization

Available ProCable™ Speaker Cables
Live Events, Nightclubs, Recording Studios, Corporate Events.

Available Cables
- 13 AWG 8-Conductor
- 16 AWG 32-Conductor

Available Connectors
8-Conductor
- ProSeries™ CA-COM8

32-Conductor
- ProSeries™ SC-32



The First and Still the Best!

TMB Pro Cables – High-quality custom cable assemblies
for the entertainment production and staging industry since 1983!
Over 60 highly skilled assembly technicians worldwide.
Well over 400 years combined experience!
Rigorous testing and quality control.
Famous TMB Rush Service Normal!

MADE IN THE USA

RoHS Compliant

Los Angeles +1 818.899.8818
London +44 (0)20.8574.9700
New York +1 201.896.8600
tmb
tmbprocables.com
Toronto +1 519.538.0888
Beijing +86 10.8492.1587
Riga +37 16.868.8955

© 2026, TMB. All rights reserved. Effective: 9 February 2026
Specifications are subject to change without notice. This information supersedes all previously supplied information.

sales@tmb.com

ProCable 13/8 Speaker Cable - PCSP8
Commercial-grade portable 13 AWG (2.5mm²), 8-conductor stranded copper, individually PVC insulated, unshielded with overall round, matte-black PVC jacket, PVC jacket. RoHS compliant.
Full specifications at: https://tmb.com/docs/procable/pdf/ProCable-Speaker-LTR-web.pdf



ProCable 16/32 Speaker Cable - PCSP32
Commercial-grade portable 16 AWG (2.5mm²), 32-conductor stranded copper, individually PVC insulated, unshielded with overall round, matte-black PVC jacket, PVC jacket. RoHS compliant.
Full specifications at: https://tmb.com/docs/procable/pdf/ProCable-Speaker-LTR-web.pdf



© 2026, TMB. All rights reserved. Effective: 9 February 2026
Specifications are subject to change without notice. This information supersedes all previously supplied information.



NOT TO SCALE

Example Code

Z	SP	SPKS08	10	L

Z	Designates cable assembly

SP	ProSeries CA-COM Connector

10	Length of cable in feet
10M	Length of cable in meters

SPKS08	ProCable 13 Awg 8-Conductor Speaker Cable

	Skip this section unless ordering custom labeling
L	Custom labeling per spec

ELECTRICAL SCHEMATIC





- Pin 1: Ground/Shield
- Pin 2: Positive/Hot
- Pin 3: Negative/Cold

© 2026, TMB. All rights reserved. Effective: 9 February 2026
Specifications are subject to change without notice. This information supersedes all previously supplied information.



NOT TO SCALE

Example Code

Z	1632	SPKS37	10	L

Z	Designates cable assembly

1632	ProCable™ 16 AWG 32-Conductor Speaker Cable

SPKS37	ProSeries SC-32 Connector

10	Length of cable in feet
10M	Length of cable in meters

	Skip this section unless ordering custom labeling
L	Custom labeling per spec

ELECTRICAL SCHEMATIC

Con	Pin	Out	Con	Pin	Out
1	N	7+	17	R	8+
2	W	10-	18	Z	11-
3	V	10+	19	f	14-
4	U	9-	20	k	16-
5	M	6-	21	j	16+
6	c	13+	22	h	15-
7	b	12-	23	g	15+
8	T	9+	24	a	12+
9	L	6+	25	S	8-
10	F	3-	26	K	5-
11	G	4+	27	E	3+
12	e	14+	28	A	1+
13	P	7-	29	B	1-
14	X	11+	30	C	2+
15	d	13-	31	D	2-
16	J	5+	32	H	4-



Male SC32 connector
(Example: L Series rear panel)

● Used pins
● Unused pins

© 2026, TMB. All rights reserved. Effective: 9 February 2026
Specifications are subject to change without notice. This information supersedes all previously supplied information.

Part Numbers	
PROCABLE SPEAKER CABLE (RAW)	
PCSP8	PROCABLE PROFESSIONAL SPEAKER CABLE 8c/#13AWG
PCSP32	PROCABLE PROFESSIONAL SPEAKER CABLE 32c/#16AWG
PROSERIES SPEAKER CONNECTORS	
PSSPK37LF-R	PROSERIES SPEAKER CONNECTOR 37PIN LF WITH LOCKING RING SC-32
PSSPK37LM-R	PROSERIES SPEAKER CONNECTOR 37PIN LM WITH LOCKING RING SC-32
PSSPK37LM-NR	PROSERIES SPEAKER CONNECTOR 37PIN LM NO LOCKING RING SC-32
PSSPK08LF-R	PROSERIES SPEAKER CONNECTOR 8PIN LF WITH LOCKING RING CA-COM
PSSPK08LM-R	PROSERIES SPEAKER CONNECTOR 8PIN LM WITH LOCKING RING CA-COM
PROCABLE SPEAKER 8 X 13 AWG CA-COM	
ZSPSPKS08xx	PROCABLE SPEAKER CABLE 8 X 13 AWG CA-COM: **'
PROCABLE SPEAKER 32 X 16 AWG SC-32	
Z1632SPKS37xx	PROCABLE SPEAKER CABLE 32X16 AWG SC-32 : **'

© 2026, TMB. All rights reserved. Effective: 9 February 2026
Specifications are subject to change without notice. This information supersedes all previously supplied information.

CONTACT INFORMATION

LOS ANGELES HEADQUARTERS

527 Park Avenue | San Fernando, CA 91340, USA

Tel: +1 818.899.8818 | Fax: +1 818.899.8813

sales@tmb.com

TMB 24/7 TECH SUPPORT

US/Canada: +1.818.794.1286

Toll Free: 1.877.862.3833 (1.877.TMB.DUDE)

UK: +44 (0)20.8574.9739

Toll Free: 0800.652.5418

techsupport@tmb.com

LOS ANGELES +1 818.899.8818

LONDON +44 (0)20.8574.9700

NEW YORK +1 201.896.8600

BEIJING +86 10.8492.1587

CANADA +1 519.538.0888

RIGA +371 6389 8886

www.tmbprocables.com

A full service company providing technical support, customer service, and follow-up. Providing products and services for the industrial, entertainment, architectural, installation, defense, broadcast, research, telecommunications, and signage industries. Servicing the global market from offices in Los Angeles, London, New York, Toronto, Riga and Beijing.