ProCan™

# AUDIENCE BLINDERS

## COMPACT, LIGHTWEIGHT, POWERFUL, DURABLE!

- **Powerful output in a compact, lightweight package**
- **Heavy-duty aluminum construction with baked enamel finish**
- **Positive locking yoke**
- **Improved ventilation for extended lamp life**
- **Individually adjustable lamp banks**
- **Fits all major brands of color changers**
- **Stock and custom wiring configurations available**

**Worldwide Exclusive Distribution**


Los Angeles +1 818.899.8818
London +44 (0)20.8574.9700
New York +1 201.896.8600
tmb www.tmb.com
Toronto +1 519.538.0888
Beijing +86 10.8492.1587
Riga +371 6389 8886



© 2022, TMB. All rights reserved. LITPROCANBLINDERA4 Effective: 22 November 2022
Specifications are subject to change without notice. This information supersedes all previously supplied information.



sales@tmb.com

## ProCan 8-Lite

**Part No. PR8LITE**
**For use with PAR 36 lamps**



Standard wiring configurations include:
- Unwired
- Series wiring for DWE 120V lamps
- Series wiring for 28V ACL lamps

Connector configurations include:
- Bare pigtails
- Pigtails with 15A Duraplug connectors
- Pigtails with 16A CEEform connectors
- Pigtails with Schuko connectors
- Custom configurations

Shipping dimensions (HxWxD) 85x52x14c m [33.5x20.5x5.5″]

Shipping weight 11.5 Kg [25.4 lbs.] unwired







## ProCan 2-Lite

**Part No. PR2LITE**
**For use with PAR 36 lamps**

Standard wiring configurations include:
- Unwired
- Series wiring for DWE 120V lamps

Connector configurations include:
- Bare pigtails
- Pigtails with 15A Duraplug connectors
- Pigtails with 16A CEEform connectors
- Pigtails with Schuko connectors
- Custom configurations

Shipping dimensions (2 pack)(HxWxD) 52x52x16 cm [20.5x20.5x6.25″]

Shipping weight (2 pack) 6 Kg [13.2 lbs.] unwired







Los Angeles +1 818.899.8818
London +44 (0)20.8574.9700
New York +1 201.896.8600
Toronto +1 519.538.0888
Beijing +86 10.8492.1587
Riga +371 6389 8886

www.tmb.com
sales@tmb.com

© 2022, TMB. All rights reserved. LITPROCANBLINDERA4 Effective: 22 November 2022
Specifications are subject to change without notice. This information supersedes all previously supplied information.

## ProCan 4-Lite

**Part No. PR4LITE**
**For use with PAR 36 lamps**



Standard wiring configurations include:
- Unwired
- Series wiring for DWE 120V lamps

Connector configurations include:
- Bare pigtails
- Pigtails with 15A Duraplug connectors
- Pigtails with 16A CEEform connectors
- Pigtails with Schuko connectors
- Custom configurations

Shipping dimensions (HxWxD) 52x52x14 cm [20.5x20.5x5.5″]

Shipping weight 7.9 Kg [17.4 lbs.] unwired







## ProCan 20-Lite

**Part No. PR20LITEW**
**For use with MR16 lamps**



Standard wiring configurations include:
- Wired with 1 series circuit of 20 lamps for 240V systems. 100 Watt max. lamps.

Connector configurations include:
- Bare pigtail
- Pigtail with 15A Duraplug connector
- Pigtail with 16A CEEform connector
- Pigtail with Schuko connector
- Custom configurations

Shipping dimensions (HxWxD) 52x52x14 cm [20.5x20.5x5.5″]

Shipping weight 7.9 Kg [17.4 lbs.] wired







Los Angeles +1 818.899.8818
London +44 (0)20.8574.9700
New York +1 201.896.8600
Toronto +1 519.538.0888
Beijing +86 10.8492.1587
Riga +371 6389 8886

www.tmb.com
sales@tmb.com

© 2022, TMB. All rights reserved. LITPROCANBLINDERA4 Effective: 22 November 2022
Specifications are subject to change without notice. This information supersedes all previously supplied information.